## In the Claims

The status of claims in the case is as follows:

	1	/ 1. [Currently amended] A method for defining the layout
	2	of a collaboration space, comprising:
	3	Method for controlling the layout of components of a user
	4	interface to collaboration space, comprising the steps of:
	5	rendering individually addressable and placing on a
	6	page each said component; and
	7	rendering components on said page equivalent to
[	8	collaboration space tags for importation into said
ı	9	collaboration space for defining a skin group including
	10	a custom plurality of different display modes for use
	11	thereafter in instantiating said user interface
	12	providing for each component of said layout a
	13	respective component tag, said components including
	14	logo, side bar, page content, action bar, and tool bar
	15	<pre>components;</pre>

16	end user defining for each of a plurality of modes of
17	operation a skin including said component tags for
18	representing each component selected for said mode of
19	operation, said modes of operation including page view
20	page edit, list folder view, headline folder view, and
21	slide show folder view;
22	end user creating a skin group comprising said skins
23	for all of said modes of operation; and
24	end user importing said skin group into said
25	collaboration space.
1	<ol> <li>[Currently amended] The method of claim 1, said</li> </ol>
2	[[page]] <u>layout</u> being an HTML page and said collaboration
3	space being a place.
5	space being a place.
1	3. [Original] The method of claim 2, said place being a
2	file directory.
1	4. [Currently amended] The method of claim [[1]] $\underline{2}$ ,
2	further comprising the step of:
3	dragging and dropping said page from a user desktop to

3

S/N 09/752,120

LOT920000021US1

- an output control for uploading to a collaboration space server.
- 1 5. [Currently amended] The method of claim 1, further
- 2 comprising the step of organizing said collaboration space
- 3 according to an object model selectively including
- 4 consisting of place, room, folder, page, member, form,
- field, placetype, roomtype, skin, and placebot objects.
- 1 6. [Currently amended] The method of claim 1, said
- 2 components including consisting of logo, table of contents,
- 3 action bar, tool bar, and page content, and said display
- 4 modes including consisting of page read mode, page edit
- 5 mode, folder list/response, folder headline, and folder slide show.
- 1 7. [Original] The method of claim 1, said tags further
- 2 providing links to other collaboration space resources.
- 1 8. [Original] The method of claim 2, further comprising
- 2 the steps of:
- 3 integrating said collaboration space with an existing
- 4 web site by including in said page links to network

- 5 resources.
- 9. [Previously amended] The method of claim 1, further
- 2 comprising the step of:
- 3 uploading said page to a server for caching in a cache
- 4 of skin groups.
- 1 10. [Previously amended] The method of claim 1, further 2 comprising the step of:
- 3 presenting to said user interface a gallery of themes
  4 from which a user may choose and optionally tweak a
- 5 visual site design for rendering said collaboration
- 6 space to said user.
- 1 11. [Currently amended] The method of claim 10, further
- 2 comprising the steps of:
- 3 tweaking a theme by selecting basic property changes
- 4 through said user interface to specific classes of
- 5 [[said]] <u>a</u> style sheet; and
- 6 operating a collaboration space server to feed said

changes	to	said	style	sheet
---------	----	------	-------	-------

1	12. [Currently amended] A method for controlling the style
2	and layout of a collaboration space user interface,
3	comprising the steps of:

respective component tag, said components including
logo, side bar, page content, action bar, and tool bar
components;

a user establishing a skin group including a set of hypertext markup language pages and a common style sheet page for defining organizing said components into a plurality of different display modes for said user interface, said modes including page view, page edit, list folder view, headline folder view, and slide show folder view;

specifying component positioning in said user interface in said set of hypertext markup language pages; [[and]]

specifying font, size and color style in said common style sheet page; and

- said user importing said skin group into said
   collaboration space.
  - 1 13. [Original] The method of claim 12, further comprising 2 the steps of:
  - rendering each said component on said hypertext markup
    language pages individually addressable.
  - 1 14. [Previously amended] The method of claim 12, further comprising the steps of:
  - rendering in said skin group said hypertext markup
    language and style sheet pages responsive to
    collaboration space tags; and
  - responsive to a request from a user, importing said skin group into a place for instantiating said user interface.
  - 1 15. [Original] The method of claim 14, further comprising 2 the step of providing links from said skin group to other 3 collaboration space and system resources.

- 1 16. [Original] The method of claim 14, further comprising
- 2 the step of:
- 3 responsive to said skin group, rendering said
- 4 collaboration space to said user through said user
- 5 interface.
- 1 17. [Previously amended] The method of claim 16, further
- 2 comprising the steps of:
- 3 presenting to said user a gallery of skin groups from
- 4 which to choose a visual site design for expressing the
- 5 identity and suiting the work to be done by a project
- 6 or team.
- 1 18. [Previously amended] The method of claim 16, further
- 2 comprising the step of
- 3 presenting to said user a gallery of skin groups from
- 4 which to choose a visual site design for rebranding a
- 5 collaboration space for inhouse applications.
- 1 19. [Original] The method of claim 16, further comprising

- 2 the step of
- 3 presenting said collaboration space to said user
- 4 through a skin group tailored to the identity of said
- 5 user.
- 1 20. [Original] The method of claim 19, said skin group
- 2 structuring said interface for communication with a
- 3 physically challenged user.
- 1 21. [Original] The method of claim 16, further comprising
- 2 the steps of:
- 3 developing a theme for applying a common look and feel
- 4 to multiple layouts by applying code from one layout to
- 5 all layouts for which a file has not been explicitly
- 6 supplied.
- 1 22. [Original] The method of claim 18, further comprising
- 2 the steps of:
- 3 including in said gallery of themes a default style
- 4 sheet including a plurality of selectors;

5	for specific selectors in a user style sheet tweaked by
6	said user, changing said specific selectors; and
7	for other selectors in said user style sheet not
8	tweaked by said user, using a corresponding selector
9	from said default style sheet in said user style sheet.
, 1	23. [Currently amended] System for controlling designing
1 2	the style and layout of a collaboration space user
3	interface, comprising:
4	
5	a skin group including at least one hypertext markup
6	language page and at least one common style sheet page
7	for defining a plurality of different display modes for
8	said user interface, said skin group comprising a
9	plurality of modes of operation, each mode of operation
10	including a plurality of components, said modes of
11	operation including page view, page edit, list folder
12	view, headline folder view, and slide show folder view,
13	and said components including logo, side bar, page
14	content, action bar, and tool bar components;
15	said hypertext markup language page for specifying
16	components positioning within said user interface; and

- said common style sheet page specifying font, size and color style for said components.
  - 1 24. [Original] The system of claim 23, further comprising:
  - an output control for receiving said pages from a local storage for uploading to a collaboration space server.
  - 1 25. [Original] The system of claim 24, further comprising:
  - 2 a drag and drop facility for dragging and dropping said 3 pages from a desktop to said output control.
  - 1 26. [Currently amended] The system of claim 24, said
  - 2 collaboration space server converting said hypertext markup
  - 3 language pages and style sheet to a skin group by applying
  - 4 <u>collaboration space component</u> tags <u>for each said component</u>
  - 5 to said hypertext markup languages pages.
  - 1 27. [Original] The system of claim 23, said collaboration
  - 2 space being structured according to an object model
- 3 selectively including place, room, folder, page, member,
- form, field, placetype, roomtype, skin, and placebot

- 5 objects.
- 1 28. [Currently amended] The system of claim 23, said
- 2 components including consisting of logo, table of contents,
- 3 actions, tools, and page content.
- 1 29. [Currently amended] The system of claim 26, said skin
- group comprising consisting of a page read mode, page edit
- 3 mode, a folder list and response, a folder headline, and a
- 4 folder slide show pages and a style sheet page for defining
- 5 said look and feel of said user interface and for providing
- 6 links to other collaboration space resources.
- 1 30. [Original] The system of claim 27, further comprising:
- 2 a main room having a first theme for defining its look
- 3 and feel;
- 4 a subroom linked to said main room;
- 5 said subroom inheriting said first theme unless a
- 6 custom theme has been defined for said subroom.
- 1 / 31. [Currently amended] A program storage device readable

2	by a machine, tangibly embodying a program of instructions
3	executable by a machine to perform method steps for
4	controlling the layout of collaboration space user interface
5	components, said method steps comprising:
6	rendering individually addressable and placing on a
7	page each said user interface component; and
8	rendering components on said page equivalent to
9	collaboration space tags for importation into said
10	collaboration space for defining a skin group including
11	a plurality of different display modes for use
12	thereafter in instantiating said user interface
13	providing for each component of said layout a
14	respective component tag, said components including
15	logo, side bar, page content, action bar, and tool bar
16	components;
17	end user defining for each of a plurality of modes of
18	operation a skin including said component tags for
19	representing each component selected for said mode of
20	operation, said modes of operation including page view,

21

page edit, list folder view, headline folder view, and

22	slide show folder view;
23	end user creating a skin group comprising said skins
24	for all of said modes of operation; and
25	end user importing said skin group into said
26	collaboration space.
1	
1	/ 32. [Currently amended] A program storage device readable
2	by a machine, tangibly embodying a program of instructions
3	executable by a machine to perform method steps for
4	controlling the style and layout of a collaboration space
5	user interface, said method steps comprising:
6	providing for each component of said layout a
7	respective component tag, said components including
8	logo, side bar, page content, action bar, and tool bar
9	<pre>components;</pre>
10	establishing a skin group including a set of hypertext
11	markup language pages and a common style sheet page for
12	defining a plurality of different display modes for
13	said user interface, said modes including page view,
14	page edit, list folder view, headline folder view, and

	15	slide show folder view;
	16	specifying component positioning in said user interface
	17	in said set of hypertext markup language pages; [[and]]
	18	specifying font, size and color style in said common
1	19	style sheet page; and
) (		
	20	importing said skin group into said collaboration
	21	space.

33-34. [Canceled]